


Ordering Code:	MH03ETP-X-Y-Z03
Stack Height : 63.0mm	

Technical drawing showing dimensions and port labels:


- Overall length: 207.0 mm
- Port P to start of manifold: 35.2 mm
- Port T to start of manifold: 57.2 mm
- Port A to start of manifold: 114.6 mm
- Port B to start of manifold: 114.6 mm
- Overall height: 44.5 mm
- Overall height (including O-ring): 63.0 mm
- Port diameter: $\phi 5.4^{+0.10}_{0.00}$
- O-RING CODE NO. 4KAA012AA001

UNIT:mm



TECHNICAL DATA	
Aluminum Body Pressure Rating:	210 bar
Ductile Iron Body Pressure Rating:	350 bar
Rated flow:	40 l/min
Cartridge Valve:	Refer to LP11A-X-Y-Z PFC17E-X-Y-Z
* Refer to Winner Cartridge Valves Catalog.	
Aluminum	0.63 kg(WITHOUT VALVES) 1.2 kg(INCLUDE VALVES ,WITHOUT COIL)

* If you need the special specification. Please contact us.



Y	SELECTION FOR FLOW CONTROL VALVE (REFER TO PFC17E-X-Y-Z)
17E2	CAVITY ONLY(WITHOUT VALVE)
PFC35	PFC17E2G0350M(35LPM)
PFC70	PFC17E2G0700M(70LPM)
COIL MUST BE ORDERED SEPARATELY (REFER TO EC-23C-X-Y-Z)	

X	SELECTION FOR COMPENSATOR
11A3	CAVITY ONLY(WITHOUT VALVE)
LP140	LP11A30140N(60LPM,14.0bar)
Please refer to the list price of cartridge program.	

Z	BODY MATERIAL
A	HIGH-STRENGTH ALUMINUM